
Series: Richland ELITE Ranch

Model: GF3009-P





About This Model

Style: Ranch / Bedrooms: 3 / Bathrooms: 2 / Square Feet: 1742

| CUS | | ЛED | COI | ΝТΛ | CT |
|-----|-------|-----|-----|-------|------|
| 603 | I UIY | IEN | UUI | N I P | l Ul |


| Notes: | | | |
|--------|--|--|--|
| | | | |
| | | | |
| | | | |
| - | | | |
| | | | |

Series: Richland ELITE Ranch

Model: GF3009-P



Floorplan



CUSTOMER CONTACT Notes:

Series: Richland ELITE Ranch

Model: GF3009-P



Standards & Features

Interior

8' Flat Stipple Ceilings

Profile Moulding Package

Primed Finished Drywall Throughout

LED Lighting

Pre-Hung Door Jambs

Mortise Hinges

30" 2-Panel White Passage Doors

Metal Interior Passage Sets

Floor Mount Door Stops

Smoke Detectors with Battery Back-Up

Wire Shelving in Guest Closet

Designer-Coordinated Window Treatments

Picture Window over Kitchen Sink

2 Clearview Windows in Nook - per model

Gatsby Light at Front and Rear Door

GFI-Protected Exterior Receptacle

Vinyl Dutch Lap Siding

OSB Sheathing Under Siding

w/ Windwrap

Shingle Roof with 10" Eaves

Ridgevent Roof Ventilation System

38x80 6-Panel Fiberglass Front Door with

Deadbolt Lock

6-Panel Fiberglass Rear Door 34x80

12" Raised Panel Shutters on Front Door

Side

Construction

Transverse Floor System:

Construction (continued) 2x6 on 24 and 28 Wide Models

2x8 on 32 Wide Models

**2x6 Exterior Walls on 16" Centers

20# Roof Load

Recessed Frame Design

18 CF, Black Frost Free Refrigerator

30" Black Gas Range

Stainless 30" Range Hood

Stainless Steel Sink - 33x22x8

Structured Flow Hi-Rise Brushed Nickel

Faucet

Beverage Center w/Barn Style Sliding

Doors, Wine Rack, & Doen Shelving

Butler Pantry w/Storage Shelves & Drawl Small

Appliance Center (Most Models)

42" Overhead Cabinets

Soft Close Cabinet Doors

4" Ceramic Backsplash on Sink Wall

Full Ceramic Backsplash Range Area

LED Lighting

Baths

60" One Piece Fiberglass Garden

Tub/Shower

Deluxe Shower Drape at 60" Tubs

1.6 Gallon Per Flush Elongated Toilets

Square China Lav Sinks

Lighted Vent Fan in Each Bath

Brushed Nickel Metal Faucets - Structured Flow

Vanity Light in Master Bath

| CUSTOMER CONTACT | Notes: |
|------------------|--------|
| | |
| | |
| | |

Series: Richland ELITE Ranch

Model: GF3009-P



Standards & Features (continued)

4" Ceramic Backsplash in Baths Cabinetry Classic Craft Custom Cabinetry

(KCMA Certified)

Hardwood Mission Cabinet Doors

Hardwood Stiles

Hardwood Cabinet Crown Moulding Hardwood Under Cabinet Moulding

Drawer Over Door Base Cabinets

Soft Close Cabinet Doors

Concealed Cabinet Hinges

Adjustable Shelves in Overhead Cabinets Undermount Soft-Close Drawer Guides Adjustable Center Shelf in Base Cabinets Laminate Countertops with Crescent Edge

Base Shelf in Vanities 36" High Vanities

Utilities

Washer and Dryer Area

-Plumb and Wire for Washer Including

Quarter Turn Valve

-Wire and Vent for Drver

100 AMP Electrical Service

Copper Wiring Throughout

40 Gallon Electric Water Heater

with Pan

Programmable Thermostat Wi-Fi

Gas Furnace

Furnace Door &ndash: 2-Panel Door with Grill

Air Exchanger System for Furnace

Aluminum Heat Ducts

Perimeter Heating System with In-Floor

Cross-Overs

Main Water Line Shut-Off Valve

One Exterior Faucet

Water Shut-off Valves Where Accessible

Shaw Take Away Carpet

Rebond Carpet Pad with Tackstrip

Carpet Installation

Shaw Vinyl Floor Coverings

Bedrooms

Ceiling Lights LED

Egress Window Each Bedroom

Wire Shelving in Wardrobes

Switched Recessed 6" LED Light

in All Walk-In Closets

Energy Efficient Standards Low-E Vinyl Insulated Windows

R-22 Fiberglass Insulation in Floor

R-19 Fiberglass Insulation in Walls

R-31 Avg. Blown Insulation in Ceiling

**NOTE: Spacing for Framing Members may vary due to

Design Requirements

Modular Features:

2x10 Transverse Floor System

40# Roof Load

5/12 Roof Pitch with 10" Eaves

Architectural Shingles

200 Amp Electrical Services

(1) Phone Jack

No Floor Insulation

| CUSTOMER CONTACT | Notes: |
|------------------|--------|
| | |

Series: Richland ELITE Ranch

Model: GF3009-P



Standards & Features (continued)

Modular Features: (continued)
Hi-Efficiency Furnace
90 MPH Wind Zone Exp. C
Wind Wrap
2x4 Interior Walls
Additional Exterior Receptacle
Low-E Argon Windows
No Blinds or Curtains
White Moulding Package

Floorplan may be altered based on building code.

| CUSTOMER CONTACT | Notes: |
|------------------|--------|
| | |