Series: Astro Elite Model: 3A2804-P





## **About This Model**

Style: Ranch / Bedrooms: 3 / Bathrooms: 2 / Square Feet: 1493


UI IC.	$T \cap \mathbb{N}$	ЛED	COI	NTACT
000	I UI	/IEN	UUI	HIAGI

Notes:			

Series: Astro Elite Model: 3A2804-P



# **Floorplan**



CUSTOMER CONTACT	Notes:

Series: Astro Elite Model: 3A2804-P



## Standards & Features

#### Interior

Stipple Ceiling

#### 8' Sidewall Height

Take Away Carpet Rebond Carpet Pad Tackstrip Carpet Installation

Shaw Vinyl Floor

Foyer w/ Vinyl Flooring Vinyl Wall Coverings on Gypsum

LED Flush Mount Lighting

Nook Light

Pre-Hung White 2-Panel Interior Doors with 2 Mortised Hinges 30" Interior Passage Doors

Metal Interior Passage Sets

Floor Mount Door Stops

Smoke Detectors with Battery Back-Up

Wire Shelving in Closets

**Designer-Coordinated Window Treatments** 

#### **Shiplap Wainscot Accent in Nook**

Interior Sliding Barn Door - per model Profile Moulding Package</strong>

KCMA Certified Cabinetry Mission Cabinet Doors Concealed Cabinet Hinges Brushed Nickel Cabinet Hardware Cabinet Crown Moulding

Lined Base & Dverhead Cabinets Soft Close Undermount Drawer Guides Base and Center Shelves in Cabinets

# Kitchen (continued) Laminate Countertops

#### **Soft Close Cabinet Doors**

Stainless Steel Galley Sink Rounded Front

Hi-Rise Brushed Nickel Metal

Kitchen Faucet by Structured Flow

Island with Pendant Lighting

Full Ceramic Backsplash - Range Wall

Single Row Ceramic Backsplash Window Wall

**Under Cabinet Moulding** 

Cubbies over Overhead Cabinets</strong>

### **Appliances**

Stainless Steel Opal Appliance Bundle 20CF Refrigerator Top/Bottom, Deluxe Range, & Deluxe Ran

4-Cvcle Tall Tub Dishwasher

# **Stainless Steel Microwave Over the Range**

### Fiberglass Garden Tub/Shower in Master Bath

60" Tub/Shower 2 Piece in Bath 2

1.6 Gallon Per Flush Elongated Toilets

Laminate Countertops

4" Laminate Backsplash

Lighted Vent Fan in Each Bath

Mission Cabinet Doors

**Concealed Cabinet Hinges** 

Base Shelf in Vanities

36" High Vanities

#### **Double Lav Sinks in Master Bath**

Wall Mount Lights over Mirrors Square China Lav Sinks</strong> **Empire Brushed Nickel Faucets** 

CLIC	TOR	/IED	COL	STACT
000	I UI	VIEN	GUI	NTACT

Notes:			

Series: Astro Elite Model: 3A2804-P



## **Standards & Features (continued)**

#### **Bedrooms**

Switched Receptacles Egress Window Each Bedroom Wire Shelving in Wardrobes Recessed 6" LED Light in All Walk-In Closets & Dantry

Plumbed & amp; Wired for Washer with Quarter Turn Valve Vented and Wired for Dryer 100 AMP Electrical Service Copper Wiring Throughout

30 Gallon Electric Water Heater with Pan

Gas Furnace w/ Grilled Door Air Exchange System for Furnace

Aluminum Heat Ducts

In-Floor Cross-Over Heating System Air Conditioner Thermostat w/ 5-Wires Main Water Line Shut-Off Valve

#### Exterior

Gatsby Light at Front Door Seeded Glass Light at Rear Door **GFI-Protected Exterior Receptacle** Vinyl Dutch Lap Siding

Sheathing Board Under Siding

Shingle Roof with

4&Idquo; Eaves on Single Section Homes

10" Eaves on Ranch Homes Ridgevent Roof Ventilation System 6-Panel Fiberglass Front Door 38x80 6-Panel Fiberglass Rear Door 34x80

# Exterior (continued) 12" Raised Panel Shutters on

Front Door Side

#### Construction

Transverse Floor System 2x6 - 14' & amp; 28' Wide 2x8 - 16' & amp; 32' Wide

2x6 Exterior Walls on 16" Centers\*\*

20# Roof Load

3/4" OSB T and G Floor Decking

Recessed Frame Design

### **Energy Efficient Standards**

Vinyl Insulated Low-E Windows

R-22 Fiberglass in Floor

R-19 Fiberglass in Walls

R-25 Avg. Blown in Ceiling-Single R-28 Avg. Blown in Ceiling- Multi

### \*\*NOTE: Spacing for Framing Members may vary due to Des **Modular Features:**

Primed / Finished Drywall Throughout

**OSB Sheathing** Wind Wrap 40# Roof Load 5/12 Roof Pitch

Architectural Shingles 90 MPH Wind Zone Exp. C

2x10 Floor Joist 2x4 Interior Walls

Additional Exterior Receptacle

(1) Exterior Faucet

Non Gridded Argon Windows Low-E

CUSTOMER CONTACT	Notes:

Series: Astro Elite Model: 3A2804-P



# **Standards & Features (continued)**

# **Modular Features: (continued)** R-31 Ceiling Insulation

Water Shut Off Where Accessible

200 AMP Panel Box

(1) Phone Jack

Hi-Efficiency Furnace

No Blinds or Curtains

White Profile Moulding Package

Hardwood Cabinets & Tardwood Stiles

Structured Flow Brushed Nickel Metal Faucets

Square China Lav Sinks

Perimeter Heat

Insulated Heat Duct

Fiberglass One Piece Tub/Shower Combo

Floorplan may be altered based on building code.

UI IC.	$T \cap \mathbb{N}$	ЛED	COI	NTACT
000	I UI	/IEN	UUI	HIAGI

Notes:			