
Series: Blazer Select Model: TS1015-P





# **About This Model**

Style: Single / Bedrooms: 2 / Bathrooms: 1 / Square Feet: 747

CUSTOMER CONTACT	Notes:
OCOTOWIEN CONTACT	

Series: Blazer Select Model: TS1015-P



### Standards & Features

#### Interior

Flat Ceiling Throughout Stipple Ceiling 8' Sidewall Height

Shaw Take Away Carpet

Rebond Carpet Pad

Tackstrip Carpet Installation

Shaw Vinyl Flooring

Vinyl Wall Coverings on Gypsum

Pre-Hung White 2-Panel Interior

Doors with 2 Mortised Hinges

30" Interior Passage Doors

Metal Interior Passage Sets

Floor Mount Door Stops

Smoke Detectors with Battery

Back-Up

Wire Shelving in Closets

Designer-Coordinated Window

**Treatments** 

LED Lights Throughout (except Bedrooms)

#### Kitcher

KCMA Certified Cabinets
Mission Cabinet Doors

Concealed Cabinet Hinges

Brushed Nickel Cabinet Hardware

30" Staggered Overhead Cabinets

Lined Base & Dverhead Cabinets

Soft Close Undermount Drawer Guides

Base Shelves in Cabinets Laminate Countertops

4" Laminate Backsplash

Kitchen (continued)

Stainless Steel Sink - 33x22x8

Hi-Rise Empire Brushed Nickel

Kitchen Faucet

**Appliances** 

18 Cubic Foot, Black No-Frost Refrigerator

30" Black Deluxe Electric Range

Power Range Hood with Light

### **Baths**

60" Tub/Shower - 2 Piece

1.6 Gallon Per Flush Elongated Toilets

Laminate Countertops

4" Laminate Backsplash

Lighted Vent Fan in Each Bath

Mission Cabinet Doors

Concealed Cabinet Hinges

Brushed Nickel Cabinet Hardware

Base Shelf in Vanities

36" High Vanities

**Empire Brushed Nickel Faucets** 

### **Bedrooms**

Switched Receptacles

Egress Window Each Bedroom

Wire Shelving in Wardrobes

Recessed 6" LED Light

in All Walk-In Closets & Dantry

### **Utilities**

Plumbed & amp; Wired for Washer

with Quarter Turn Valve

Vented and Wired for Drver

200 AMP Electrical Service

<b>CUST</b>	ONTE	D CC	MITA	CT	Not
6031	OIVIE	ท ษเ	ЛЧ I <i>H</i>	U	

Notes:			

Series: Blazer Select Model: TS1015-P



# **Standards & Features (continued)**

# Utilities (continued) Copper Wiring Throughout

30 Gallon Electric Water Heater

Electric Furnace w/ Grilled Door Air Exchange System for Furnace

Aluminum Heat Ducts

In-Floor Cross-Over Heating System Air Conditioner Ready Thermostat w/5-Wires

Main Water Line Shut-Off Valve

#### Exterior

Gatsby at Front Door

Seeded Glass Light at Rear Door GFI-Protected Exterior Receptacle

Vinyl Dutch Lap Siding

Sheathing Board Under Siding

Shingle Roof with

4&Idguo; Eaves on Single Section Homes

10" Eaves on Ranch Homes Ridgevent Roof Ventilation System 6-Panel Fiberglass Front Door 38x80

6-Panel Rear Door 34x80 12" Raised Panel Shutters on

Front Door Side

### Construction

Transverse Floor System 2x6 - 14' & amp; 28' Wide 2x8 - 16' & amp: 32' Wide

2x6 Exterior Walls on 16" Centers\*\*

20# Roof Load

# Construction (continued) 3/4" OSB T and G Floor Decking

Recessed Frame

### **Energy Efficient Standards**

Vinyl Insulated Low-E Windows

R-22 Fiberglass in Floor

R-19 Fiberglass in Walls

R-25 Avg. Blown in Ceiling-Single R-28 Avg. Blown in Ceiling-Multi

### \*\*NOTE: Spacing for Framing Members may vary du

Modular Features

Primed / Finished Drywall Throughout

**OSB Sheathing** Wind Wrap 40# Roof Load

5/12 Roof Pitch w/Ice Shield

Architectural Shingles

90 MPH Wind Zone Exp. C

2x10 Floor Joist 2x4 Interior Walls

Additional Exterior Receptacle

(1) Exterior Faucet

Non Gridded Argon Windows Low-E

R-31 Ceiling Insulation

Water Shut Off Where Accessible

200 AMP Panel Box

Hardwood Cabinets w/Hardwood Stiles

No Blinds or Curtains

White Profile Moulding Package

Structured Flow Brushed Nickel Metal Faucets

Square China Lav Sinks

CUSTOMER CONTACT	Notes:

**Series: Blazer Select** Model: TS1015-P



Standards & Features (continued)			
**NOTE: Spacing for Framing Members may vary due to Design Requirements (continued) Perimeter Heat Fiberglass One Piece Tub/Shower Combo			
CUSTOMER CONTACT Notes:			