
PRINTABLE INFO SHEET

Series: Astro Creations Singlewide

Model: 1A2028-V





About This Model

Style: Single / Bedrooms: 3 / Bathrooms: 2 / Square Feet: 1140

CH	CT		ЛER	COI	۱ТЛ	CT
υU	IJΙ	UI	/IEN	UUI	N I H	U

Notes:			
-			

PRINTABLE INFO SHEET

Series: Astro Creations Singlewide

Model: 1A2028-V



Standards & Features

Interior

Cathedral Ceiling Throughout Stipple Ceiling

7'6" Sidewall Height

16 oz. Treasure Carpet

Rebond Carpet Pad

Tackstrip Carpet Installation

No-Wax LuxFlor Vinyl Floor

Vinyl Wall Coverings on Gypsum

LED Flush Mount Lighting

Pre-Hung White 6-Panel Interior

Doors with 2 Mortised Hinges

30" Interior Passage Doors

Metal Interior Passage Sets

Floor Mount Door Stops

Smoke Detectors with Battery

Back-Up

Wire Shelving in Closets

Designer-Coordinated Window

Treatments

KCMA Approved Cabinetry

Mission Cabinet Doors

Concealed Cabinet Hinges

Brushed Nickel Cabinet Hardware

30" Staggered Overhead Cabinets

Cabinet Crown Moulding

Lined Base & Dverhead Cabinets

Soft Close Undermount Drawer Guides

Base and Center Shelves in Cabinets

Laminate Countertops

Kitchen (continued)

Stainless Steel Sink - 33x19x7

Hi-RIse Empire Brushed Nickel

Kitchen Faucet

Appliances 30" DeluxeGas Range

Power Range Hood with Light

18 Cubic Foot, No-Frost Refrigerator

Baths

60" Tub/Shower - 2 Piece

1.6 Gallon Per Flush Toilets

China Stool. Tank and Lid

Laminate Countertops

Lighted Vent Fan in Each Bath

Mission Cabinet Doors

Concealed Cabinet Hinges

Brushed Nickel Cabinet Hardware

Base Shelf in Vanities

36" High Vanities

Empire Brushed Nickel Faucets

Bedrooms

Switched Receptacles

Egress Window Each Bedroom

Wire Shelving in Wardrobes

Recessed 4" LED Light

in All Walk-In Closets & Dantry

Utilities

Plumbed & amp; Wired for Washer

with Quarter Turn Valve

Vented and Wired for Drver

100 AMP Electrical Service

CHI	CTL	/ אור	IED	CO	МΤ	$\Lambda \cap T$
UU:	אוכ	الاال	IEN	UU	IN I /	46 I

Notes:			

PRINTABLE INFO SHEET

Series: Astro Creations Singlewide

Model: 1A2028-V



Standards & Features (continued)

Utilities (continued)Copper Wiring Throughout

30 Gallon Electric Water Heater with Pan

Gas Furnace w/ Grilled Door

Air Exchange System for Furnace

Aluminum Heat Ducts

In-Floor Cross-Over Heating System on Sectionals

Air Conditioner Thermostat w/ 5-Wires

Main Water Line Shut-Off Valve

Brushed Nickel Lantern at Front Door

White Glass Jar Light at Rear Door

GFI-Protected Exterior Receptacle

Vinyl Dutch Lap Siding

Sheathing Board Under Siding

Shingle Roof with

4&Idquo; Eaves on Single Section Homes

10" Eaves on Ranch Homes

Ridgevent Roof Ventilation System

6-Panel Fiberglass Front Door 38x80

6-Panel Fiberglass Rear Door 34x80

12" Raised Panel Shutters on

Front Door Side

Construction

Transverse Floor System

2x6 - 14' & amp; 28' Wide

2x8 - 16' & amp; 32' Wide

2x6 Exterior Walls on 16" Centers**

20# Roof Load

¾" OSB T&G Floor Decking

Recessed Frame Design

Energy Efficeint Standards Vinyl Insulated Low-E Windows

R-14 Fiberglass in Floor

R-19 Fiberglass in Walls

R-25 Avg Blown in Ceiling-Single

CΙ	ICT	UIV.	/IED	COL	NTACT
υl	JOI	UIV	IEN	UUI	HIAGI

Notes:			