PRINTABLE INFO SHEET

Series: Blazer Modulars
Model: TDM134A

About This Model

Style: Ranch / Bedrooms: 3 / Bathrooms: 2 / Square Feet: 1493

CUSTOMER CONTACT

Notes:

PRINTABLE INFO SHEET

Series: Blazer Modulars
Model: TDM134A

Floorplan



CUSTOMER CONTACT

Notes:

PRINTABLE INFO SHEET

Series: Blazer Modulars
Model: TDM134A

Standards & Features

Interior
Stipple Ceiling
Vaulted Ceiling Throughout
7'6" Stipple Ceiling
Drywall Throughout
Carpet Throughout Except Kitchen,Utility, & Baths
Rebond Carpet Pad
Vinyl Flooring per Model
Metal Interior Passage Sets
Pre-Hung Door Jambs
White 6-Panel Interior Doors with 2
Mortised Hinges
Floor Mount Door Stops
Smoke Detectors with Battery
Back-Up
Ceiling Light with Alabaster Glass

Kitchen
Georgetown Oak Cabinetry
Lined Overhead Cabinets
Base Shelf in Kitchen Base
Cabinets
Deluxe Roller Drawer Guides
Mission Cabinet Doors with Brushed
Nickel Cabinet Hardware
Hidden Hinges on Cabinets
High Pressure Laminate
Countertops with Laminate Edging
Stainless Steel Sink
Utopia Chrome Faucet

Appliances
30" Gas Range

Appliances (continued)
Power Range Hood with Light
18 Cu.Ft. No-Frost Refrigerator

Baths
60" Tub/Shower
1.6 Gallon Per Flush Toilets
High Pressure Laminate
Countertops with Laminate
Edging
Lighted Vent Fan in Each Bath
Brushed Nickel Cabinet Hardware
Base Shelf in Vanities
33" High Bath Vanities
Bedrooms
Switched Receptacles
Egress Window in Each Bedroom
Wire Shelving in Wardrobes

Utilities
Plumb for Washer with Quarter
Turn Valve
Wire and Vent for Electric Dryer
200 AMP Electrical Service
High Effi ciency Gas Furnace
30 Gallon Electric Water Heater
Programmable Th ermostat with 5-Wires
Fiberglass Heat Ducts
Copper Wiring Throughout
Main Water Line Shut-Off Valve
Air Conditioning Ready Thermostat
with 5-Wires

CUSTOMER CONTACT

Notes:

Standards & Features (continued)

Insulation
R-19 Fiberglass Insulation in Walls
R-28 Avg. Blown Insulation in Ceiling

Exterior
Brushed Nickel Square Lantern Light
at Front Door
Vinyl Exterior Siding
9 Panel Steel Front Door (without storm)
6 Panel Steel Rear Door
OSB Sheathing
Wind Wrap Air Filtration Barrier
5/12 Roof Pitch
Architectural Shingle Roof with 10" Fixed
Eaves, Vented
TWO GFI-Protected Exterior Receptacle
Shingle Roof with Vented Soffits
and Ridge Vent
Vinyl Windows
Window Trim Between Non-Mulled
Windows
12" Raised Panel Shutters on Front
Door Side

Construction
¾" T&G OSB Floor Decking
2x10 Transverse Floor System on 16"
Centers
40# Roof Load
2x4 Marriage Wall
**NOTE: Spacing for Framing Members may vary due to
Design Requirements

CUSTOMER CONTACT

Notes: